Appendix C: Biological Resources Supporting Information

THIS PAGE INTENTIONALLY LEFT BLANK





California Natural Diversity Database

Query Criteria: Quad IS (Hayward (3712261) OR San Leandro (3712262) OR Dublin (3712168) OR Diablo (3712178) OR Las Trampas Ridge (3712271) OR Oakland East (3712272) OR Redwood Point (3712252) OR Niles (3712158) OR Newark (3712251))

Species	Element Code	Federal Status	State Status	Global Rank	State Rank	Rare Plant Rank/CDFW SSC or FP
Accipiter cooperii	ABNKC12040	None	None	G5	S4	WL
Cooper's hawk						
Accipiter striatus	ABNKC12020	None	None	G5	S4	WL
sharp-shinned hawk						
Agelaius tricolor	ABPBXB0020	None	Threatened	G1G2	S1S2	SSC
tricolored blackbird						
Ambystoma californiense pop. 1	AAAAA01181	Threatened	Threatened	G2G3	S3	WL
California tiger salamander - central California DPS						
Amsinckia lunaris	PDBOR01070	None	None	G3	S3	1B.2
bent-flowered fiddleneck						
Anomobryum julaceum	NBMUS80010	None	None	G5?	S2	4.2
slender silver moss						
Antrozous pallidus	AMACC10010	None	None	G4	S3	SSC
pallid bat						
Aquila chrysaetos	ABNKC22010	None	None	G5	S3	FP
golden eagle						
Arctostaphylos auriculata	PDERI04040	None	None	G2	S2	1B.3
Mt. Diablo manzanita						
Arctostaphylos manzanita ssp. laevigata	PDERI04273	None	None	G5T2	S2	1B.2
Contra Costa manzanita						
Arctostaphylos pallida	PDERI04110	Threatened	Endangered	G1	S1	1B.1
pallid manzanita						
Ardea herodias	ABNGA04010	None	None	G5	S4	
great blue heron						
Asio flammeus	ABNSB13040	None	None	G5	S3	SSC
short-eared owl						
Astragalus tener var. tener	PDFAB0F8R1	None	None	G2T1	S1	1B.2
alkali milk-vetch						
Athene cunicularia	ABNSB10010	None	None	G4	S3	SSC
burrowing owl						
Balsamorhiza macrolepis	PDAST11061	None	None	G2	S2	1B.2
big-scale balsamroot						
Bombus caliginosus	IIHYM24380	None	None	G4?	S1S2	
obscure bumble bee						
Bombus crotchii	IIHYM24480	None	None	G3G4	S1S2	
Crotch bumble bee						





Species	Element Code	Federal Status	State Status	Global Rank	State Rank	Rare Plant Rank/CDFW SSC or FP
Bombus occidentalis	IIHYM24250	None	None	G2G3	S1	
western bumble bee						
Buteo swainsoni	ABNKC19070	None	Threatened	G5	S3	
Swainson's hawk						
Calochortus pulchellus	PMLIL0D160	None	None	G2	S2	1B.2
Mt. Diablo fairy-lantern						
Campanula exigua	PDCAM020A0	None	None	G2	S2	1B.2
chaparral harebell						
Centromadia parryi ssp. congdonii	PDAST4R0P1	None	None	G3T1T2	S1S2	1B.1
Congdon's tarplant						
Charadrius nivosus nivosus	ABNNB03031	Threatened	None	G3T3	S2	SSC
western snowy plover						
Chloropyron maritimum ssp. palustre Point Reyes salty bird's-beak	PDSCR0J0C3	None	None	G4?T2	S2	1B.2
Chorizanthe robusta var. robusta robust spineflower	PDPGN040Q2	Endangered	None	G2T1	S1	1B.1
Circus hudsonius	ABNKC11011	None	None	G5	S3	SSC
northern harrier						
Clarkia concinna ssp. automixa	PDONA050A1	None	None	G5?T3	S3	4.3
Santa Clara red ribbons						
Clarkia franciscana	PDONA050H0	Endangered	Endangered	G1	S1	1B.1
Presidio clarkia						
Corynorhinus townsendii	AMACC08010	None	None	G4	S2	SSC
Townsend's big-eared bat						
Coturnicops noveboracensis	ABNME01010	None	None	G4	S1S2	SSC
yellow rail						
Danaus plexippus pop. 1	IILEPP2012	Candidate	None	G4T2T3	S2S3	
monarch - California overwintering population						
Delphinium californicum ssp. interius Hospital Canyon larkspur	PDRAN0B0A2	None	None	G3T3	S3	1B.2
Dipodomys heermanni berkeleyensis	AMAFD03061	None	None	G4T1	S1	
Berkeley kangaroo rat		News	News	00	00	40.0
Dirca occidentalis western leatherwood	PDTHY03010	None	None	G2	S2	1B.2
Efferia antiochi	IIDIP07010	None	None	G1G2	S1S2	
Antioch efferian robberfly						
Elanus leucurus	ABNKC06010	None	None	G5	S3S4	FP
white-tailed kite						
Emys marmorata	ARAAD02030	None	None	G3G4	S3	SSC
western pond turtle						
<i>Eremophila alpestris actia</i> California horned lark	ABPAT02011	None	None	G5T4Q	S4	WL





Species	Element Code	Federal Status	State Status	Global Rank	State Rank	Rare Plant Rank/CDFW SSC or FP
Eriogonum luteolum var. caninum	PDPGN083S1	None	None	G5T2	S2	1B.2
Tiburon buckwheat						
Eriogonum truncatum	PDPGN085Z0	None	None	G1	S1	1B.1
Mt. Diablo buckwheat						
<i>Eryngium aristulatum var. hooveri</i> Hoover's button-celery	PDAPI0Z043	None	None	G5T1	S1	1B.1
Eryngium jepsonii	PDAPI0Z130	None	None	G2	S2	1B.2
Jepson's coyote-thistle						
Eucyclogobius newberryi tidewater goby	AFCQN04010	Endangered	None	G3	S3	
Eumops perotis californicus	AMACD02011	None	None	G4G5T4	S3S4	SSC
western mastiff bat	AWAODOZOTT	None	None	040014	0004	000
Euphydryas editha bayensis	IILEPK4055	Threatened	None	G5T1	S1	
Bay checkerspot butterfly		mediciled	None	0011	01	
Extriplex joaquinana	PDCHE041F3	None	None	G2	S2	1B.2
San Joaquin spearscale				_	_	
Falco mexicanus	ABNKD06090	None	None	G5	S4	WL
prairie falcon						
Falco peregrinus anatum	ABNKD06071	Delisted	Delisted	G4T4	S3S4	FP
American peregrine falcon					_	_
Fissidens pauperculus minute pocket moss	NBMUS2W0U0	None	None	G3?	S2	1B.2
Fritillaria liliacea fragrant fritillary	PMLIL0V0C0	None	None	G2	S2	1B.2
		None	None	G5T3	60	880
Geothlypis trichas sinuosa saltmarsh common yellowthroat	ABPBX1201A	None	None	6513	S3	SSC
Gilia millefoliata	PDPLM04130	Nono	Nono	G2	S2	1B.2
dark-eyed gilia	FDFLINI04130	None	None	62	52	ID.2
Gonidea angulata	IMBIV19010	None	None	G3	S1S2	
western ridged mussel	101010	None	None	05	0102	
Helianthella castanea	PDAST4M020	None	None	G2	S2	1B.2
Diablo helianthella	1 DAS140020	None	None	02	52	10.2
Helminthoglypta nickliniana bridgesi	IMGASC2362	None	None	G3T1	S1S2	
Bridges' coast range shoulderband	1007002002	None	None	0311	0102	
Hesperolinon breweri	PDLIN01030	None	None	G2	S2	1B.2
Brewer's western flax	1 DEINO 1030	None	None	02	02	10.2
Hoita strobilina	PDFAB5Z030	None	None	G2?	S2?	1B.1
Loma Prieta hoita	12171202000		. 10110	52.	52.	
Holocarpha macradenia	PDAST4X020	Threatened	Endangered	G1	S1	1B.1
Santa Cruz tarplant	. 27.01 17.020					
Horkelia cuneata var. sericea Kellogg's horkelia	PDROS0W043	None	None	G4T1?	S1?	1B.1





Species	Element Code	Federal Status	State Status	Global Rank	State Rank	Rare Plant Rank/CDFW SSC or FP
Lasionycteris noctivagans	AMACC02010	None	None	G3G4	S3S4	
silver-haired bat						
Lasiurus cinereus	AMACC05030	None	None	G3G4	S4	
hoary bat						
Lasthenia conjugens	PDAST5L040	Endangered	None	G1	S1	1B.1
Contra Costa goldfields						
Laterallus jamaicensis coturniculus	ABNME03041	None	Threatened	G3G4T1	S1	FP
California black rail						
Lepidurus packardi	ICBRA10010	Endangered	None	G4	S3S4	
vernal pool tadpole shrimp						
Linderiella occidentalis	ICBRA06010	None	None	G2G3	S2S3	
California linderiella						
Malacothamnus hallii	PDMAL0Q0F0	None	None	G2	S2	1B.2
Hall's bush-mallow						
Masticophis lateralis euryxanthus	ARADB21031	Threatened	Threatened	G4T2	S2	
Alameda whipsnake						
Meconella oregana	PDPAP0G030	None	None	G2G3	S2	1B.1
Oregon meconella						
Melospiza melodia pusillula	ABPBXA301S	None	None	G5T2?	S2S3	SSC
Alameda song sparrow						
Microcina leei	ILARA47040	None	None	G1	S1	
Lee's micro-blind harvestman						
Microcina lumi	ILARA47050	None	None	G1	S1	
Lum's micro-blind harvestman						
Monolopia gracilens	PDAST6G010	None	None	G3	S3	1B.2
woodland woollythreads						
Myotis yumanensis	AMACC01020	None	None	G5	S4	
Yuma myotis						
Neotoma fuscipes annectens	AMAFF08082	None	None	G5T2T3	S2S3	SSC
San Francisco dusky-footed woodrat						
Northern Coastal Salt Marsh	CTT52110CA	None	None	G3	S3.2	
Northern Coastal Salt Marsh						
Northern Maritime Chaparral	CTT37C10CA	None	None	G1	S1.2	
Northern Maritime Chaparral						
Nycticorax nycticorax	ABNGA11010	None	None	G5	S4	
black-crowned night heron						
Oncorhynchus mykiss irideus pop. 8	AFCHA0209G	Threatened	None	G5T2T3Q	S2S3	
steelhead - central California coast DPS						
Phacelia phacelioides	PDHYD0C3Q0	None	None	G2	S2	1B.2
Mt. Diablo phacelia						
Phalacrocorax auritus	ABNFD01020	None	None	G5	S4	WL
double-crested cormorant						





Species	Element Code	Federal Status	State Status	Global Rank	State Rank	Rare Plant Rank/CDFW SSC or FP
Plagiobothrys diffusus	PDBOR0V080	None	Endangered	G1Q	S1	1B.1
San Francisco popcornflower						
Plagiobothrys glaber	PDBOR0V0B0	None	None	GX	SX	1A
hairless popcornflower						
Polemonium carneum	PDPLM0E050	None	None	G3G4	S2	2B.2
Oregon polemonium						
Polygonum marinense	PDPGN0L1C0	None	None	G2Q	S2	3.1
Marin knotweed						
Pomatiopsis californica	IMGASJ9020	None	None	G1	S1	
Pacific walker						
Rallus obsoletus obsoletus	ABNME05011	Endangered	Endangered	G3T1	S1	FP
California Ridgway's rail						
Rana boylii	AAABH01050	None	Endangered	G3	S3	SSC
foothill yellow-legged frog						
Rana draytonii	AAABH01022	Threatened	None	G2G3	S2S3	SSC
California red-legged frog						
Reithrodontomys raviventris	AMAFF02040	Endangered	Endangered	G1G2	S1S2	FP
salt-marsh harvest mouse						
Riparia riparia	ABPAU08010	None	Threatened	G5	S2	
bank swallow						
Rynchops niger	ABNNM14010	None	None	G5	S2	SSC
black skimmer						
Sanicula maritima	PDAPI1Z0D0	None	Rare	G2	S2	1B.1
adobe sanicle						
Scapanus latimanus parvus	AMABB02031	None	None	G5T1Q	SH	SSC
Alameda Island mole						
Senecio aphanactis	PDAST8H060	None	None	G3	S2	2B.2
chaparral ragwort						
Serpentine Bunchgrass	CTT42130CA	None	None	G2	S2.2	
Serpentine Bunchgrass						
Setophaga petechia	ABPBX03010	None	None	G5	S3S4	SSC
yellow warbler						
Sorex vagrans halicoetes	AMABA01071	None	None	G5T1	S1	SSC
salt-marsh wandering shrew						
Spergularia macrotheca var. longistyla long-styled sand-spurrey	PDCAR0W062	None	None	G5T2	S2	1B.2
Spirinchus thaleichthys longfin smelt	AFCHB03010	Candidate	Threatened	G5	S1	
Sternula antillarum browni	ABNNM08103	Endangered	Endangered	G4T2T3Q	S2	FP
California least tern						
	PDBRA2G012	None	None	G2T2	S2	1B.2
Streptanthus albidus ssp. peramoenus most beautiful jewelflower	PDBRA2G012	None	None	G2T2	S2	1B.2





Species	Element Code	Federal Status	State Status	Global Rank	State Rank	Rare Plant Rank/CDFW SSC or FP
Streptanthus hispidus	PDBRA2G0M0	None	None	G2	S2	1B.3
Mt. Diablo jewelflower						
Stuckenia filiformis ssp. alpina	PMPOT03091	None	None	G5T5	S2S3	2B.2
northern slender pondweed						
Suaeda californica	PDCHE0P020	Endangered	None	G1	S1	1B.1
California seablite						
Taxidea taxus	AMAJF04010	None	None	G5	S3	SSC
American badger						
Trifolium hydrophilum	PDFAB400R5	None	None	G2	S2	1B.2
saline clover						
Triquetrella californica	NBMUS7S010	None	None	G2	S2	1B.2
coastal triquetrella						
Tryonia imitator	IMGASJ7040	None	None	G2	S2	
mimic tryonia (=California brackishwater snail)						
Valley Needlegrass Grassland	CTT42110CA	None	None	G3	S3.1	
Valley Needlegrass Grassland						
Viburnum ellipticum	PDCPR07080	None	None	G4G5	S3?	2B.3
oval-leaved viburnum						
Vulpes macrotis mutica	AMAJA03041	Endangered	Threatened	G4T2	S2	
San Joaquin kit fox						

Record Count: 112

X

IP2C resource list

IPaC is experiencing problems with the National Wetlands Inventory mapThis re
(collec
jurisdiin the interpret in the interpret interpret

abitat

The list ially be

directly or indirectly affected by activities in the project area. However, determining the likelihood and extent of effects a project may have on trust resources typically requires gathering additional site-specific (e.g., vegetation/species surveys) and project-specific (e.g., magnitude and timing of proposed activities) information.

Below is a summary of the project information you provided and contact information for the USFWS office(s) with jurisdiction in the defined project area. Please read the introduction to each section that follows (Endangered Species, Migratory Birds, USFWS Facilities, and NWI Wetlands) for additional information applicable to the trust resources addressed in that section.

Location

Alameda County, California



Local office

Sacramento Fish And Wildlife Office

└ (916) 414-6600**i** (916) 414-6713

Federal Building 2800 Cottage Way, Room W-2605 Sacramento, CA 95825-1846

Endangered species

This resource list is for informational purposes only and does not constitute an analysis of project level impacts.

The primary information used to generate this list is the known or expected range of each species. Additional areas of influence (AOI) for species are also considered. An AOI includes areas outside of the species range if the species could be indirectly affected by activities in that area (e.g., placing a dam upstream of a fish population even if that fish does not occur at the dam site, may indirectly impact the species by reducing or eliminating water flow downstream). Because species can move, and site conditions can change, the species on this list are not guaranteed to be found on or near the project area. To fully determine any potential effects to species, additional site-specific and project-specific information is often required.

Section 7 of the Endangered Species Act **requires** Federal agencies to "request of the Secretary information whether any species which is listed or proposed to be listed may be present in the area of such proposed action" for any project that is conducted, permitted, funded, or licensed by any Federal agency. A letter from the local office and a species list which fulfills this requirement can **only** be obtained by requesting an official species list from either the Regulatory Review section in IPaC (see directions below) or from the local field office directly.

For project evaluations that require USFWS concurrence/review, please return to the IPaC website and request an official species list by doing the following:

- 1. Draw the project location and click CONTINUE.
- 2. Click DEFINE PROJECT.
- 3. Log in (if directed to do so).
- 4. Provide a name and description for your project.
- 5. Click REQUEST SPECIES LIST.

Listed species¹ and their critical habitats are managed by the <u>Ecological Services Program</u> of the U.S. Fish and Wildlife Service (USFWS) and the fisheries division of the National Oceanic and Atmospheric Administration (NOAA Fisheries²).

Species and critical habitats under the sole responsibility of NOAA Fisheries are **not** shown on this list. Please contact <u>NOAA Fisheries</u> for <u>species under their jurisdiction</u>.

- 1. Species listed under the <u>Endangered Species Act</u> are threatened or endangered; IPaC also shows species that are candidates, or proposed, for listing. See the <u>listing status page</u> for more information. IPaC only shows species that are regulated by USFWS (see FAQ).
- 2. <u>NOAA Fisheries</u>, also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

The following species are potentially affected by activities in this location:

Mammals

/9/21, 1:39 PM IPa	aC: Explore Location resources
NAME	STATUS
Salt Marsh Harvest Mouse Reithrodontomys raviv Wherever found No critical habitat has been designated for this specie https://ecos.fws.gov/ecp/species/613	-
Birds	
NAME	STATUS
California Clapper Rail Rallus longirostris obsoletu Wherever found No critical habitat has been designated for this specie https://ecos.fws.gov/ecp/species/4240	-
California Least Tern Sterna antillarum browni Wherever found No critical habitat has been designated for this speci- https://ecos.fws.gov/ecp/species/8104	Endangered es.
Western Snowy Plover Charadrius nivosus nivosus There is final critical habitat for this species. The loca critical habitat is not available. <u>https://ecos.fws.gov/ecp/species/8035</u>	
Reptiles	STATUS
Alameda Whipsnake (=striped Racer) Masticophis euryxanthus Wherever found There is final critical habitat for this species. The loca critical habitat is not available. <u>https://ecos.fws.gov/ecp/species/5524</u>	s lateralis Threatened
Amphibians	CTATUC
NAME	STATUS

California Red-legged Frog Rana draytonii

Wherever found

Threatened

There is **final** critical habitat for this species. The location of the critical habitat is not available. <u>https://ecos.fws.gov/ecp/species/2891</u>

Threatened

California Tiger Salamander Ambystoma californiense There is final critical habitat for this species. The location of the critical habitat is not available. <u>https://ecos.fws.gov/ecp/species/2076</u>

Fishes

NAME	STATUS
Delta Smelt Hypomesus transpacificus Wherever found There is final critical habitat for this species. The location of the critical habitat is not available. <u>https://ecos.fws.gov/ecp/species/321</u>	Threatened
Insects NAME	STATUS
Monarch Butterfly Danaus plexippus Wherever found No critical habitat has been designated for this species. <u>https://ecos.fws.gov/ecp/species/9743</u>	Candidate
Crustaceans	STATUS
Vernal Pool Fairy Shrimp Branchinecta lynchi Wherever found There is final critical habitat for this species. The location of the critical habitat is not available. <u>https://ecos.fws.gov/ecp/species/498</u>	Threatened
Flowering Plants	STATUS
Santa Cruz Tarplant Holocarpha macradenia Wherever found There is final critical habitat for this species. The location of the critical habitat is not available.	Threatened

https://ecos.fws.gov/ecp/species/6832

Critical habitats

Potential effects to critical habitat(s) in this location must be analyzed along with the endangered species themselves.

THERE ARE NO CRITICAL HABITATS AT THIS LOCATION.

Migratory birds

Certain birds are protected under the Migratory Bird Treaty Act¹ and the Bald and Golden Eagle Protection Act².

Any person or organization who plans or conducts activities that may result in impacts to migratory birds, eagles, and their habitats should follow appropriate regulations and consider implementing appropriate conservation measures, as described <u>below</u>.

- 1. The Migratory Birds Treaty Act of 1918.
- 2. The Bald and Golden Eagle Protection Act of 1940.

Additional information can be found using the following links:

- Birds of Conservation Concern <u>http://www.fws.gov/birds/management/managed-species/</u> <u>birds-of-conservation-concern.php</u>
- Measures for avoiding and minimizing impacts to birds <u>http://www.fws.gov/birds/management/project-assessment-tools-and-guidance/</u> <u>conservation-measures.php</u>
- Nationwide conservation measures for birds <u>http://www.fws.gov/migratorybirds/pdf/management/nationwidestandardconservationmeasures.pdf</u>

The birds listed below are birds of particular concern either because they occur on the <u>USFWS Birds</u> of <u>Conservation Concern</u> (BCC) list or warrant special attention in your project location. To learn more about the levels of concern for birds on your list and how this list is generated, see the FAQ <u>below</u>. This is not a list of every bird you may find in this location, nor a guarantee that every bird on this list will be found in your project area. To see exact locations of where birders and the general public have sighted birds in and around your project area, visit the <u>E-bird data mapping tool</u> (Tip: enter your location, desired date range and a species on your list). For projects that occur off the Atlantic Coast, additional maps and models detailing the relative occurrence and abundance of bird species on your list are available. Links to additional information about Atlantic Coast birds, and other important information about your migratory bird list, including how to properly interpret and use your migratory bird report, can be found <u>below</u>.

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, click on the PROBABILITY OF PRESENCE SUMMARY at the top of your list to see when these birds are most likely to be present and breeding in your project area.

NAME

BREEDING SEASON (IF A BREEDING SEASON IS INDICATED FOR A BIRD ON YOUR LIST, THE BIRD MAY BREED IN YOUR PROJECT AREA SOMETIME WITHIN

IPaC: Explore Location resources

THE TIMEFRAME SPECIFIED,

	WHICH IS A VERY LIBERAL ESTIMATE OF THE DATES INSIDE WHICH THE BIRD BREEDS ACROSS ITS ENTIRE RANGE. "BREEDS ELSEWHERE" INDICATES THAT THE BIRD DOES NOT LIKELY BREED IN YOUR PROJECT AREA.)
Allen's Hummingbird Selasphorus sasin This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <u>https://ecos.fws.gov/ecp/species/9637</u>	Breeds Feb 1 to Jul 15
Bald Eagle Haliaeetus leucocephalus This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities. https://ecos.fws.gov/ecp/species/1626	Breeds Jan 1 to Aug 31
Black Oystercatcher Haematopus bachmani This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <u>https://ecos.fws.gov/ecp/species/9591</u>	Breeds Apr 15 to Oct 31
Black Skimmer Rynchops niger This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <u>https://ecos.fws.gov/ecp/species/5234</u>	Breeds May 20 to Sep 15
Black Swift Cypseloides niger This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <u>https://ecos.fws.gov/ecp/species/8878</u>	Breeds Jun 15 to Sep 10
Black Turnstone Arenaria melanocephala This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds elsewhere
California Thrasher Toxostoma redivivum This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds Jan 1 to Jul 31
Clark's Grebe Aechmophorus clarkii This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds Jun 1 to Aug 31

Common Yellowthroat Geothlypis trichas sinuosa This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <u>https://ecos.fws.gov/ecp/species/2084</u>	Breeds May 20 to Jul 31
Golden Eagle Aquila chrysaetos This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities. <u>https://ecos.fws.gov/ecp/species/1680</u>	Breeds Jan 1 to Aug 31
Marbled Godwit Limosa fedoa This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <u>https://ecos.fws.gov/ecp/species/9481</u>	Breeds elsewhere
Nuttall's Woodpecker Picoides nuttallii This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <u>https://ecos.fws.gov/ecp/species/9410</u>	Breeds Apr 1 to Jul 20
Oak Titmouse Baeolophus inornatus This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <u>https://ecos.fws.gov/ecp/species/9656</u>	Breeds Mar 15 to Jul 15
Olive-sided Flycatcher Contopus cooperi This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <u>https://ecos.fws.gov/ecp/species/3914</u>	Breeds May 20 to Aug 31
Short-billed Dowitcher Limnodromus griseus This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <u>https://ecos.fws.gov/ecp/species/9480</u>	Breeds elsewhere
Tricolored Blackbird Agelaius tricolor This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <u>https://ecos.fws.gov/ecp/species/3910</u>	Breeds Mar 15 to Aug 10
Willet Tringa semipalmata This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds elsewhere

Wrentit Chamaea fasciata

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

Probability of Presence Summary

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read and understand the FAQ "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

Probability of Presence (

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. (A year is represented as 12 4-week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

- 1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.
- 2. To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.
- 3. The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

To see a bar's probability of presence score, simply hover your mouse cursor over the bar.

Breeding Season (=)

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

Survey Effort (|)

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps. The number of surveys is expressed as a range, for example, 33 to 64 surveys.

To see a bar's survey effort range, simply hover your mouse cursor over the bar.

No Data (–)

A week is marked as having no data if there were no survey events for that week.

Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.

				🗖 proba	bility of	presenc	e <mark>b</mark> ro	eeding s	eason	survey	effort	— no data
SPECIES	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Allen's Hummingbird BCC Rangewide (CON) (This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.)	+++1	+1+1	1+11	11+1	1+11	1+11	<mark>++∎</mark> +	++++	++++	++++	++++	· ++++
Bald Eagle Non-BCC Vulnerable (This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities.)		++1+	++++ SP		;C	++++	S	t I t	+++++	++++	+	⊦ ₩+++
Black Oystercatcher BCC Rangewide (CON) (This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.)		1111	+++	+111	11++	1+++	++1+	11+1			***	【 +∞+Ⅲ

IPaC: Explore Location resources



Common Yellowthroat BCC - BCR (This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA)	1	+∎+1	+∎++	++11	++ <mark>+1</mark>	++1+	++++	++++	+++Ⅲ	∎+++	++#1	++++
Golden Eagle Non-BCC Vulnerable (This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities.)		+++	+++	+++	++++	+++	+	++++	II+++	++++	++#+	+++1II
						<pre>\</pre>	-					
Marbled Godwit BCC Rangewide (CON) (This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.)		••••	R			++++	m	1111	<u>I</u> III		+∎∎∎	1111
Marbled Godwit BCC Rangewide (CON) (This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA			••••			++++		1111			+ 0 0 0	

12/9/21, 1.391 10								resources				
Oak Titmouse BCC Rangewide (CON) (This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.)		1111	111	1111		+111	111+	IIII	I +# I	111		•111
Olive-sided Flycatcher BCC Rangewide (CON) (This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.)	++++	++++	++++	+11++	111	+1+1	+++	+++	++++	++++	++++	++++
Short-billed Dowitcher BCC Rangewide (CON) (This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.)	▋╪▋▋	++1+	+1+1		I+++	++++	+++1	+#+#	1+++	ŦDHŦ	+++1	₩₩++
Tricolored Blackbird BCC Rangewide (CON) (This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.)	+##+	++++	+	++++	++++	+++	+++	++ ++	++++	∎+++	++++	++++
Willet BCC Rangewide (CON) (This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.)		1111	1111		1 +++	I ++ I	1111	1111		1111		

+

IIII I #+I IIII

Wrentit BCC Rangewide (CON) (This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.)

Tell me more about conservation measures I can implement to avoid or minimize impacts to migratory birds.

<u>Nationwide Conservation Measures</u> describes measures that can help avoid and minimize impacts to all birds at any location year round. Implementation of these measures is particularly important when birds are most likely to occur in the project area. When birds may be breeding in the area, identifying the locations of any active nests and avoiding their destruction is a very helpful impact minimization measure. To see when birds are most likely to occur and be breeding in your project area, view the Probability of Presence Summary. <u>Additional measures</u> or <u>permits</u> may be advisable depending on the type of activity you are conducting and the type of infrastructure or bird species present on your project site.

What does IPaC use to generate the migratory birds potentially occurring in my specified location?

The Migratory Bird Resource List is comprised of USFWS <u>Birds of Conservation Concern (BCC)</u> and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the <u>Avian Knowledge Network</u> (<u>AKN</u>). The AKN data is based on a growing collection of <u>survey</u>, <u>banding</u>, <u>and citizen science datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle (<u>Eagle Act</u> requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the <u>AKN Phenology Tool</u>.

What does IPaC use to generate the probability of presence graphs for the migratory birds potentially occurring in my specified location?

The probability of presence graphs associated with your migratory bird list are based on data provided by the <u>Avian Knowledge Network (AKN)</u>. This data is derived from a growing collection of <u>survey, banding, and citizen</u> <u>science datasets</u>.

Probability of presence data is continuously being updated as new and better information becomes available. To learn more about how the probability of presence graphs are produced and how to interpret them, go the Probability of Presence Summary and then click on the "Tell me about these graphs" link.

How do I know if a bird is breeding, wintering, migrating or present year-round in my project area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating or year-round), you may refer to the following resources: <u>The Cornell Lab of Ornithology All About Birds Bird Guide</u>, or (if you are unsuccessful in locating the bird of interest there), the <u>Cornell Lab of Ornithology Neotropical Birds</u>

<u>guide</u>. If a bird on your migratory bird species list has a breeding season associated with it, if that bird does occur in your project area, there may be nests present at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

What are the levels of concern for migratory birds?

Migratory birds delivered through IPaC fall into the following distinct categories of concern:

- 1. "BCC Rangewide" birds are <u>Birds of Conservation Concern</u> (BCC) that are of concern throughout their range anywhere within the USA (including Hawaii, the Pacific Islands, Puerto Rico, and the Virgin Islands);
- 2. "BCC BCR" birds are BCCs that are of concern only in particular Bird Conservation Regions (BCRs) in the continental USA; and
- 3. "Non-BCC Vulnerable" birds are not BCC species in your project area, but appear on your list either because of the <u>Eagle Act</u> requirements (for eagles) or (for non-eagles) potential susceptibilities in offshore areas from certain types of development or activities (e.g. offshore energy development or longline fishing).

Although it is important to try to avoid and minimize impacts to all birds, efforts should be made, in particular, to avoid and minimize impacts to the birds on this list, especially eagles and BCC species of rangewide concern. For more information on conservation measures you can implement to help avoid and minimize migratory bird impacts and requirements for eagles, please see the FAQs for these topics.

Details about birds that are potentially affected by offshore projects

For additional details about the relative occurrence and abundance of both individual bird species and groups of bird species within your project area off the Atlantic Coast, please visit the <u>Northeast Ocean Data Portal</u>. The Portal also offers data and information about other taxa besides birds that may be helpful to you in your project review. Alternately, you may download the bird model results files underlying the portal maps through the <u>NOAA NCCOS</u> <u>Integrative Statistical Modeling and Predictive Mapping of Marine Bird Distributions and Abundance on the Atlantic Outer Continental Shelf</u> project webpage.

Bird tracking data can also provide additional details about occurrence and habitat use throughout the year, including migration. Models relying on survey data may not include this information. For additional information on marine bird tracking data, see the <u>Diving Bird Study</u> and the <u>nanotag studies</u> or contact <u>Caleb Spiegel</u> or <u>Pam</u> <u>Loring</u>.

What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to <u>obtain a permit</u> to avoid violating the Eagle Act should such impacts occur.

Proper Interpretation and Use of Your Migratory Bird Report

The migratory bird list generated is not a list of all birds in your project area, only a subset of birds of priority concern. To learn more about how your list is generated, and see options for identifying what other birds may be in your project area, please see the FAQ "What does IPaC use to generate the migratory birds potentially occurring in my specified location". Please be aware this report provides the "probability of presence" of birds within the 10 km grid cell(s) that overlap your project; not your exact project footprint. On the graphs provided, please also look carefully at the survey effort (indicated by the black vertical bar) and for the existence of the "no data" indicator (a red horizontal bar). A high survey effort is the key component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort bar or no data bar means a lack of data and, therefore, a lack of certainty about presence of the species. This list is not perfect; it is simply a starting point for identifying what birds of concern have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list helps you know what to look for to confirm presence, and helps guide you in knowing when to implement conservation measures to avoid

301

or minimize potential impacts from your project activities, should presence be confirmed. To learn more about conservation measures, visit the FAQ "Tell me about conservation measures I can implement to avoid or minimize impacts to migratory birds" at the bottom of your migratory bird trust resources page.

Facilities

National Wildlife Refuge lands

Any activity proposed on lands managed by the <u>National Wildlife Refuge</u> system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

THERE ARE NO REFUGE LANDS AT THIS LOCATION.

Fish hatcheries

THERE ARE NO FISH HATCHERIES AT THIS LOCATION.

Wetlands in the National Wetlands Inventory

Impacts to <u>NWI wetlands</u> and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local <u>U.S. Army Corps of</u> <u>Engineers District</u>.

WETLAND INFORMATION IS NOT AVAILABLE AT THIS TIME

This can happen when the National Wetlands Inventory (NWI) map service is unavailable, or for very large projects that intersect many wetland areas. Try again, or visit the <u>NWI map</u> to view wetlands at this location.

Data limitations

The Service's objective of mapping wetlands and deepwater habitats is to produce reconnaissance level information on the location, type and size of these resources. The maps are prepared from the analysis of high altitude imagery. Wetlands are identified based on vegetation, visible hydrology and geography. A margin of error is inherent in the use of imagery; thus, detailed on-the-ground inspection of any particular site may result in revision of the wetland boundaries or classification established through image analysis.

IPaC: Explore Location resources

The accuracy of image interpretation depends on the quality of the imagery, the experience of the image analysts, the amount and quality of the collateral data and the amount of ground truth verification work conducted. Metadata should be consulted to determine the date of the source imagery used and any mapping problems.

Wetlands or other mapped features may have changed since the date of the imagery or field work. There may be occasional differences in polygon boundaries or classifications between the information depicted on the map and the actual conditions on site.

Data exclusions

Certain wetland habitats are excluded from the National mapping program because of the limitations of aerial imagery as the primary data source used to detect wetlands. These habitats include seagrasses or submerged aquatic vegetation that are found in the intertidal and subtidal zones of estuaries and nearshore coastal waters. Some deepwater reef communities (coral or tuberficid worm reefs) have also been excluded from the inventory. These habitats, because of their depth, go undetected by aerial imagery.

Data precautions

Federal, state, and local regulatory agencies with jurisdiction over wetlands may define and describe wetlands in a different manner than that used in this inventory. There is no attempt, in either the design or products of this inventory, to define the limits of proprietary jurisdiction of any Federal, state, or local government or to establish the geographical scope of the regulatory programs of government agencies. Persons intending to engage in activities involving modifications within or adjacent to wetland areas should seek the advice of appropriate federal, state, or local agencies concerning specified agency regulatory programs and proprietary jurisdictions that may affect such activities.

Inventory of Rare and Endangered Plants of California



Search Results

3 matches found. Click on scientific name for details

Search Criteria: <u>CRPR</u> is one of [1A:1B:2A:2B:3] <u>Fed List</u> is one of [FE:FT:FC] and <u>State List</u> is one of [CE:CT:CR], <u>Quad</u> is one of [3712262:3712261:3712272:3712252:3712251:3712158:3712168:3712178]

▲ SCIENTIFIC NAME	COMMON NAME	FAMILY	LIFEFORM	BLOOMING PERIOD	FED LIST	STATE LIST	GLOBAL RANK	STATE RANK	CA RARE PLANT RANK	рното
<u>Arctostaphylos</u>	pallid	Ericaceae	perennial	Dec-Mar	FT	CE	G1	S1	1B.1	
<u>pallida</u>	manzanita		evergreen shrub							No Photo
										Available
<u>Clarkia</u>	Presidio	Onagraceae	annual herb	May-Jul	FE	CE	G1	S1	1B.1	
<u>franciscana</u>	clarkia									No Photo
										Available
<u>Holocarpha</u>	Santa Cruz	Asteraceae	annual herb	Jun-Oct	FT	CE	G1	S1	1B.1	
<u>macradenia</u>	tarplant									No Photo
										Available

Showing 1 to 3 of 3 entries

Suggested Citation:

California Native Plant Society, Rare Plant Program. 2021. Inventory of Rare and Endangered Plants of California (online edition, v9-01 1.0). Website https://www.rareplants.cnps.org [accessed 9 December 2021].

CONTACT US	ABOUT THIS WEBSITE	ABOUT CNPS	CONTRIBUTORS
Send questions and comments	About the Inventory	About the Rare Plant Program	The Calflora Database
to <u>rareplants@cnps.org</u> .	Release Notes	<u>CNPS Home Page</u>	<u>The California Lichen Society</u>
	Advanced Search	About CNPS	<u>California Natural Diversity</u>
	<u>Glossary</u>	Join CNPS	Database
ringon			<u>The Jepson Flora Project</u>
Cincon Developed by Rincon Consultants, Inc.			The Consortium of California
			<u>Herbaria</u>
			<u>CalPhotos</u>

https://rareplants.cnps.org/Search/result?frm=T&crpr=1A:1B:2A:2B:3&fesa=FE:FT:FC&cesa=CE:CT:CR&fsao=and&sl=1&quad=3712262:3712261:3712272:371225

THIS PAGE INTENTIONALLY LEFT BLANK