

Conservation Service

Web Soil Survey National Cooperative Soil Survey



Farmland Classification—Alameda Area, California (North Livermore Intensive Agricultural area)

- Prime farmland if 1 A subsoiled, completely removing the root inhibiting soil layer
- Prime farmland if irrigated and the product of I (soil erodibility) x C (climate factor) does not exceed 60
- Prime farmland if irrigated and reclaimed of excess salts and sodium
- Farmland of statewide importance
- Farmland of statewide importance, if drained
- Farmland of statewide importance, if protected from flooding or not frequently flooded during the growing season
- Farmland of statewide importance, if irrigated

- Farmland of statewide importance, if drained and either protected from flooding or not frequently flooded during the
- arowina season Farmland of statewide importance, if irrigated and drained

100

- Farmland of statewide 100 importance, if irrigated and either protected from flooding or not frequently flooded during the growing season Farmland of statewide a 🖬 importance, if subsoiled.
- completely removing the root inhibiting soil layer Farmland of statewide 100 importance, if irrigated

and the product of I (soil erodibility) x C (climate factor) does not exceed 60

- Farmland of statewide الجريدا الجر importance, if irrigated and reclaimed of excess salts and sodium
- Farmland of statewide importance, if drained or either protected from flooding or not frequently flooded during the growing season
- Farmland of statewide importance, if warm enough, and either drained or either protected from flooding or not frequently flooded during the growing season
- Farmland of statewide importance, if warm enough
- Farmland of statewide 10 M importance, if thawed
- Farmland of local importance
- Farmland of local importance, if irrigated

Farmland of unique importance Not rated or not available المراجع

Soil Rating Points

- Not prime farmland All areas are prime
- farmland
- Prime farmland if drained
- Prime farmland if protected from flooding or not frequently flooded during the growing season
- Prime farmland if irrigated
- Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
- Prime farmland if irrigated and drained
- Prime farmland if irrigated and either protected from flooding or not frequently flooded during the growing season

- Prime farmland if subsoiled, completely removing the root inhibiting soil layer
- Prime farmland if irrigated and the product of I (soil erodibility) x C (climate factor) does not exceed 60
- Prime farmland if irrigated and reclaimed of excess salts and sodium
- Farmland of statewide importance
- Farmland of statewide importance, if drained
- Farmland of statewide importance, if protected from flooding or not frequently flooded during the growing season
- Farmland of statewide importance, if irrigated



	Farmland of statewide importance, if drained and either protected from		Farmland of statewide importance, if irrigated and reclaimed of excess		Farmland of unique importance	The soil surveys that comprise your AOI were mapped at 1:20,000.
	flooding or not frequently flooded during the growing season		salts and sodium		Not rated or not available	Please rely on the bar scale on each map sheet for map
			Farmland of statewide importance, if drained or either protected from flooding or not frequently flooded during the growing season Farmland of statewide importance, if warm enough, and either drained or either protected from flooding or	Water Features Streams and Canals		measurements.
	Farmland of statewide importance, if irrigated and drained			Transport		Source of Map: Natural Resources Conservation Service Web Soil Survey URL: Coordinate System: Web Mercator (EPSG:3857)
					Rails	
	Farmland of statewide importance, if irrigated and either protected from flooding or not frequently flooded during the growing season			~	Interstate Highways	Maps from the Web Soil Survey are based on the Web Mercator
				~	US Routes	projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as t
				~	Major Roads	Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.
	Farmland of statewide importance, if subsoiled, completely removing the		not frequently flooded during the growing	~	Local Roads	This product is generated from the USDA-NRCS certified data
			season	Background		as of the version date(s) listed below.
	root inhibiting soil layer Farmland of statewide importance, if irrigated and the product of I (soil erodibility) x C (climate factor) does not exceed 60		Farmland of statewide importance, if warm enough	March 1	Aerial Photography	Soil Survey Area: Alameda Area, California Survey Area Data: Version 14, May 29, 2020
			Farmland of statewide importance, if thawed			Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.
			Farmland of local importance Farmland of local importance, if irrigated			Date(s) aerial images were photographed: Apr 29, 2019—Ma
						10, 2019
						The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.



Farmland Classification

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
AaC	Altamont clay, 3 to 15 percent slopes	Farmland of statewide importance	208.5	4.6%
AaD	Altamont clay, 15 to 30 percent slopes, MLRA 15	Not prime farmland	10.7	0.2%
CdA	Clear Lake clay, drained, 0 to 2 percent slopes, MLRA 14	Prime farmland if irrigated	1,824.8	40.2%
DbD	Diablo clay, 15 to 30 percent slopes, MLRA 15	Not prime farmland	359.9	7.9%
DbE2	Diablo clay, 30 to 45 percent slopes, eroded	Not prime farmland	267.2	5.9%
DdDcc	Diablo clay, 9 to 15 percent slopes	Farmland of statewide importance	1.9	0.0%
DmF2	Diablo clay, moderately deep, 45to 60 percent slopes, eroded	Not prime farmland	8.1	0.2%
DvC	Diablo clay, very deep, 3 to 15 percent slopes	Farmland of statewide importance	120.5	2.7%
LaC	Linne clay loam, 3 to 15 percent slopes	Farmland of statewide importance	621.0	13.7%
LaD	Linne clay loam, 15 to 30 percent slopes, MLRA 15	Not prime farmland	945.7	20.8%
LaE2	Linne clay loam, 30 to 45 percent slopes, eroded	Not prime farmland	49.5	1.1%
Pd	Pescadero clay loam, 0 to 6 percent slopes, MLRA 14	Not prime farmland	123.3	2.7%
Totals for Area of Inter	rest	4,541.0	100.0%	

Description

Farmland classification identifies map units as prime farmland, farmland of statewide importance, farmland of local importance, or unique farmland. It identifies the location and extent of the soils that are best suited to food, feed, fiber, forage, and oilseed crops. NRCS policy and procedures on prime and unique farmlands are published in the "Federal Register," Vol. 43, No. 21, January 31, 1978.

Rating Options

Aggregation Method: No Aggregation Necessary Tie-break Rule: Lower